

## THERMOSTATIC MACHINE



HYH-1DR-E



HYH-1.5DR-E



HYH-2DR-E



HYH-2.5DR-E

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)	Spacing
HYH-1DR-E	220V/50Hz	2745W	800-1000L	4.5A	5A	φ32mm	R22	515×473×415mm	320mm
HYH-1.5DR-E	220V/50Hz	3245W	1100-1400L	5.5A	6A	φ32mm	R22	524×475×467mm	340mm
HYH-2DR-E	220V/50Hz	4245W	1400-2000L	6.8A	7A	φ32mm	R22	560×490×488mm	340mm
HYH-2.5DR-E	220V/50Hz	5280W	1800-2500L	8.5A	9A	φ32mm	R22	560×550×488mm	340mm



UA-2.8DR



UA-3.3DR



UA-4.3DR



UA-5.8DR



UA-7.2DR



UA-12DR



UA-15DR



UA-5.3SR



UA-7.2SR

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)	Spacing
UA-2.8DR	220V/50Hz	2800W	800-1000L	4.5A	5A	φ40mm	R22	745×418×590mm	420mm
UA-3.3DR	220V/50Hz	3300W	1100-1400L	5.5A	6A	φ40mm	R22	745×418×590mm	420mm
UA-4.3DR	220V/50Hz	4300W	1400-2000L	6.8A	7A	φ40mm	R22	745×418×590mm	420mm
UA-5.8DR	220V/50Hz	5820W	2500-3000L	8.5A	9A	φ40mm	R22	906×460×770mm	512mm
UA-7.2DR	220V/50Hz	7200W	2500-3000L	11.5A	12A	φ40mm	R22	906×460×770mm	512mm
UA-12DR	380V/50Hz	12000W	3500-4500L	9A	9.5A	φ40mm	R22	915×535×1315mm	580mm
UA-15DR	380V/50Hz	15000W	5000L	10A	10.5A	φ40mm	R22	915×535×1315mm	580mm
UA-5.3SR	220V/50Hz	5300W	2×1000L	8.5A	9A	φ32mm	R22	905×460×770mm	512mm
UA-7.2SR	220V/50Hz	7200W	2×1500L	11.5A	12A	φ32mm	R22	905×460×770mm	512mm

# THERMOSTATIC MACHINE



HYT-2.8DR



HYT-3.6DR



HYT-4.8DR

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)	Spacing
HYT-2.8DR	220V/50Hz	2800W	800-1000L	4.5A	5A	φ40mm	R22	770×390×580mm	470mm
HYT-3.6DR	220V/50Hz	3600W	1100-1400L	6A	6.5A	φ40mm	R22	770×390×580mm	470mm
HYT-4.8DR	220V/50Hz	4800W	1400-2000L	8A	8.5A	φ40mm	R22	770×390×580mm	470mm




HYH-0.25D-D



HYH-0.5D-D

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)
HYH-0.25D-D	220V/50Hz	450W	250L	1.4A	φ16-20mm	R134a	620×580×918mm
HYH-0.5D-D	220V/50Hz	650W	580L	1.9A	φ16-20mm	R134a	620×580×918mm



HYH-1/13D-D

Model	Voltage	Power	Refrigerent	Quantity of water	Suitable For Pump Flow	Refrigerator current	Weight	Dimensions(LxWxH)
HYH-1/13D-D	220V/50Hz	1/13HP	R134a	≤225L	300-600L/h	300W	8.7kg	288×236×346mm

## THERMOSTATIC MACHINE



HYH-1DR-A



HYH-1.5DR-A



HYH-2DR-A

Model	Voltage	Refrigerating output	Heating power	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)
HYH-1DR-A	220V/50Hz	2745W	1500W	800-1000L	4.5A	6.8A	φ40mm	R22	620×530×425mm
HYH-1.5DR-A	220V/50Hz	3245W	1500W	1100-1400L	5.5A	6.8A	φ40mm	R22	620×530×425mm
HYH-2DR-A	220V/50Hz	4245W	1500W	1400-2000L	6.8A	6.8A	φ40mm	R22	620×530×425mm



HYH-0.7DR-B



HYH-1DR-B



HYH-1.5DR-B



HYH-2DR-B



HYH-2.5DR-B

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)	Spacing
HYH-0.75DR-B	220V/50Hz	1745W	500-800L	3.5A	4A	φ40mm	R22	736×430×606mm	420mm
HYH-1DR-B	220V/50Hz	2745W	800-1000L	4.5A	5A	φ40mm	R22	736×430×606mm	420mm
HYH-1.5DR-B	220V/50Hz	3245W	1100-1400L	5.5A	6A	φ40mm	R22	736×430×606mm	420mm
HYH-2DR-B	220V/50Hz	4245W	1400-2000L	6.8A	7A	φ40mm	R22	736×430×606mm	420mm
HYH-2.5DR-B	220V/50Hz	5260W	1800-2500L	8.5A	9A	φ40mm	R22	736×430×606mm	420mm



HYH-1DR-D



HYH-1.5DR-D



HYH-2DR-D

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)	Spacing
HYH-1DR-D	220V/50Hz	2745W	800-1000L	4.5A	5A	φ32mm	R22	805×255×550mm	485mm
HYH-1.5DR-D	220V/50Hz	3245W	1100-1400L	5.5A	6A	φ32mm	R22	905×255×550mm	500mm
HYH-2DR-D	220V/50Hz	4245W	1400-2000L	6.8A	7A	φ32mm	R22	905×255×550mm	500mm

## THERMOSTATIC MACHINE



HYH-1DR-E



HYH-1.5DR-E



HYH-2DR-E



HYH-2.5DR-E

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)	Spacing
HYH-1DR-E	220V/50Hz	2745W	800-1000L	4.5A	5A	φ32mm	R22	515×473×415mm	320mm
HYH-1.5DR-E	220V/50Hz	3245W	1100-1400L	5.5A	6A	φ32mm	R22	524×475×467mm	340mm
HYH-2DR-E	220V/50Hz	4245W	1400-2000L	6.8A	7A	φ32mm	R22	560×490×488mm	340mm
HYH-2.5DR-E	220V/50Hz	5280W	1800-2500L	8.5A	9A	φ32mm	R22	560×550×488mm	340mm



UA-2.8DR



UA-3.3DR



UA-4.3DR



UA-5.8DR



UA-7.2DR



UA-12DR



UA-15DR



UA-5.3SR



UA-7.2SR

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)	Spacing
UA-2.8DR	220V/50Hz	2800W	800-1000L	4.5A	5A	φ40mm	R22	745×418×590mm	420mm
UA-3.3DR	220V/50Hz	3300W	1100-1400L	5.5A	6A	φ40mm	R22	745×418×590mm	420mm
UA-4.3DR	220V/50Hz	4300W	1400-2000L	6.8A	7A	φ40mm	R22	745×418×590mm	420mm
UA-5.8DR	220V/50Hz	5820W	2500-3000L	8.5A	9A	φ40mm	R22	906×460×770mm	512mm
UA-7.2DR	220V/50Hz	7200W	2500-3000L	11.5A	12A	φ40mm	R22	906×460×770mm	512mm
UA-12DR	380V/50Hz	12000W	3500-4500L	9A	9.5A	φ40mm	R22	915×535×1315mm	580mm
UA-15DR	380V/50Hz	15000W	5000L	10A	10.5A	φ40mm	R22	915×535×1315mm	580mm
UA-5.3SR	220V/50Hz	5300W	2×1000L	8.5A	9A	φ32mm	R22	905×460×770mm	512mm
UA-7.2SR	220V/50Hz	7200W	2×1500L	11.5A	12A	φ32mm	R22	905×460×770mm	512mm

## THERMOSTATIC MACHINE



HYT-2.8DR



HYT-3.6DR



HYT-4.8DR

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Heating rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)	Spacing
HYT-2.8DR	220V/50Hz	2800W	800-1000L	4.5A	5A	φ40mm	R22	770×390×580mm	470mm
HYT-3.6DR	220V/50Hz	3600W	1100-1400L	6A	6.5A	φ40mm	R22	770×390×580mm	470mm
HYT-4.8DR	220V/50Hz	4800W	1400-2000L	8A	8.5A	φ40mm	R22	770×390×580mm	470mm




HYH-0.25D-D



HYH-0.5D-D

Model	Voltage	Refrigerating output	Quantity of water	Refrigeration rated current	Size of inlet	Refrigerent	Dimensions(LxWxH)
HYH-0.25D-D	220V/50Hz	450W	250L	1.4A	φ16-20mm	R134a	620×580×918mm
HYH-0.5D-D	220V/50Hz	650W	580L	1.9A	φ16-20mm	R134a	620×580×918mm



HYH-1/13D-D

Model	Voltage	Power	Refrigerent	Quantity of water	Suitable For Pump Flow	Refrigerator current	Weight	Dimensions(LxWxH)
HYH-1/13D-D	220V/50Hz	1/13HP	R134a	≤225L	300-600L/h	300W	8.7kg	288×236×346mm